

## Author index

- AGNATI, L. F., ZOLI, M., BIAGINI, G. & FUXE, K. Neuronal plasticity and ageing in the frame of the 'Red Queen Theory', 301
- AHLBORG, G., WEITZBERG, E., SOLLEVI, A. & LUNDBERG, J. M. Splanchnic and renal vasoconstrictor and metabolic responses to neuropeptide Y in resting and exercising man, 139
- AHLBORN, E. N. (see BAILEY, S. P.)
- AHLENUS, S. (see UVNÄS-MOBERG, K.)
- AHOTUPA, M., MÄNTYLÄ, E., PELTOLA, V., PUNTALA, A. & TOIVONEN, H. Pro-oxidant effects of normobaric hyperoxia in rat tissue, 151
- ÅKERSTRÖM, G. (see RIDEFELT, P.)
- AKSNES, G. (see ELLINGSEN, O.)
- AKSNES, G., KIRKBOEN, K. A., LANDE, K. & ILEBEKK, A. Myocardial potassium balance associated with regional ischaemia in the pig: effects of  $\beta$ -adrenoceptor blockade, duration of ischaemia and preceding ischaemic periods, 39
- ALSTER, P. (see UVNÄS-MOBERG, K.)
- ANDERSEN, S. E., ENGSTRÖM, T. & BIE, P. Effects on renal sodium and potassium excretion of vasopressin and oxytocin in conscious dogs, 267
- ANDERSSON, K.-E., HEDLUND, H. & STAHL, M. Contractions induced by angiotensin I, angiotensin II and bradykinin in isolated smooth muscle from the human detrusor, 253
- APERIA, A. (see FUKUDA, Y.)
- APPELGREN, B. H., ARVER, S., HJELMQVIST, H., MOBERG, L. E. & RUNDGREN, M. Caciuresis elicited by spontaneous rehydration in dehydrated sheep, 197
- ARVER, S. (see APPELGREN, B. H.)
- BAILEY, S. P., DAVIS, J. M. & AHLBORN, E. N. Effect of increased brain serotonergic activity on endurance performance in the rat, 75
- BARBIERI, A. (see ZUCCA, G.)
- BAUDET, S., NOIREAUD, J. & LEOTY, C. External calcium sensitivity of low sodium contractures in the control and hypertrophied right ventricle of the ferret, 105
- BERGGREN, A., SILLÉN, U. & RUBENSON, A. *In vivo* motor effects of looperamide on the rat urinary bladder, 33
- BERGLAND, H.-P. & MERCER, J. B. The effect of rate of cooling, time of day and light regime on the shivering response in rabbits, 413
- BIAGINI, G. (see AGNATI, L. F.)
- BIE, P. (see ANDERSEN, S. E.)
- BOBERG, U., MORSING, P. & PERSSON, A. E. G. Renal response to volume depletion and expansion in Milan hypertensive rats, 261
- BOTTA, L. (see ZUCCA, G.)
- CARLSSON, S., SKARPHEDINSSON, J. O., DELLE, M., HOFFMAN, P. & THORÉN, P. Differential responses in post- and pre-ganglionic adrenal sympathetic nerve activity and renal sympathetic nerve activity after injection of 2-deoxy-D-glucose and insulin in rats, 169
- CASSUTO, J. (see SJÖQVIST, A.)
- CELSI, G., STÅHL, J., WANG, Z.-M. & NISHI, A. Adrenocorticoid regulation of  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase in adult rat kidney: effects on post-translational processing and mRNA abundance, 85
- CHANCE, B. (see OKUDA, M.)
- CHANG, L. S. (see YOUNG, S. T.)
- CHIYOTANI, A. (see TAMAOKI, J.)
- CHRISTENSEN, G. (see NAESS, P. A.)
- CLAUSEN, T. (see EVERTS, M. E.)
- DAVIS, J. M. (see BAILEY, S. P.)
- DELLE, M. (see CARLSSON, S.)
- DELLHAMMER, D. (see KREUTZ, M.)
- DIENER, M., NOBLES, M., SCHMITT, C. & RUMMEL, W. Characterization of the antiseecretory action of prostaglandin  $\text{D}_2$  in the rat colon, 19
- EKEN, T. (see GUNDERSEN, K.)
- EKLÖF, A.-C. (see FUKUDA, Y.)
- ELLINGSEN, Ø., AKSNES, G. & ILEBEKK, A. Calcium-induced net potassium uptake of pig hearts *in vivo*, 99
- ENGSTRÖM, T. (see ANDERSEN, S. E.)
- ERIKSSON, L. (see OLSSON, K.)
- EVERTS, M. E. & CLAUSEN, T. Activation of the  $\text{Na-K}$  pump by intracellular  $\text{Na}$  in rat slow- and fast-twitch muscle, 353
- FERNANDES, M. H. & SOARES-DA-SILVA, P. Type A and B monoamine oxidase activities in the human and rat kidney, 363
- FREDHOLM, B. B. (see HU, P. S.)
- FUGL-MEYER, A. R. (see GERDLE, B.)
- FUKUDA, Y., EKLÖF, A.-C., MALMBORG, A.-S. & APERIA, A. Calcium supplementation and thyroid hormone protect against gentamicin induced inhibition of proximal tubular  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase activity and other renal functional changes, 93
- FUXE, K. (see AGNATI, L. F.)
- GAFFNEY, P. J. (see KJÆLDGAARD, M.)
- GERDLE, B. & FUGL-MEYER, A. R. Is the mean power frequency shift of the EMG a selective indicator of fatigue of the fast twitch motor units?, 129
- GOBBETTI, A. (see ZERANI, M.)
- GONZÁLEZ, E., SALOMONSSON, M., KORNFIELD, M., GUTIERREZ, A., MORSING, P. & PERSSON, A. E. G.

- Different action of angiotensin II and noradrenaline on cystolic calcium concentration in isolated and perfused afferent arterioles, 299
- GRANA, E. (see ZUCCA, G.)
- GUNDERSEN, K. & EKEN, T. The importance of frequency and amount of electrical stimulation for contractile properties of denervated rat muscles, 49
- GUNNARSSON, U. (see HJELMQVIST, H.)
- GUTIERREZ, A. (see GONZALEZ, E.)
- GYLFE, E. (see RIDEFELT, P.)
- HAMBERGER, B. (see HJELMQVIST, H.)
- HEDLUND, H. (see ANDERSSON, K.-E.)
- HELLMAN, P. (see RIDEFELT, P.)
- HAMBERGER, B. (see HJELMQVIST, H.)
- HEMLIN, M. & MELLANDER, A. Evidence for an electrically silent, neurogenic fluid secretion in the rat jejunum *in vivo*, 239
- HENRIQUEZ, A. (see SCHRIJEN, F.)
- HILLEGART, V. (see UVNÄS-MOBERG, K.)
- HJELMQVIST, H. (see APPELGREN, B. H.)
- HJELMQVIST, H., ULLMAN, J., HAMBERGER, B. & RUNDGREN, M. Cardiovascular and renal effects of intracerebroventricular angiotensin II in conscious sheep, 25
- HJELMQVIST, H., ULLMAN, J., GUNNARSSON, U., HEMBERGER, B. & RUNDGREN, M. Increased resistance to haemorrhage induced by intracerebroventricular infusion to hypertonic NaCl in conscious sheep, 177
- HJEMDAHL, P. (see SCHWEILER, J. H.)
- HOFFMAN, P. (see CARLSSON, S.)
- HOSSAINI-HILALI, J. (see OLSSON, K.)
- HU, P.-S., JIN, S. & FREDHOLM, B. B. Glycine and GABA potentiate 4-aminopyridine and/or N-methyl-D-aspartate induced [ $^3$ H]noradrenaline release from rat hippocampal slices, 77
- HU, G.-Y. & STORM, J. F. 2-Amino-3-phosphonopropionate fails to block postsynaptic effects of metabolic glutamate receptors in rat hippocampal neurones, 187
- ILEBEKK, A. (see ÅKSNES, G.)
- ILEBEKK, A. (see ELLINGSEN, Ø.)
- ISONO, K. (see TAMAOKI, J.)
- JENNISCHE, E. (see MATEJKA, G. L.)
- JIN, S. (see HU, P.-S.)
- JODAL, M. (see SJÖQVIST, A.)
- JOHANSSON, I. (see KJÆLDGAARD, M.)
- JOHANSSON, M. C. (see SCHWEILER, J. H.)
- KAHAN, T. (see SCHWEILER, J. H.)
- KAJIMOTO, N. (see OMOTE, M.)
- KANEMURA, T. (see TAMAOKI, J.)
- KATZ, A. (see YAN, Z.)
- KIIL, F. (see NAESS, P. A.)
- KIRKBOEN, K. A. (see ÅKSNES, G.)
- KIRKBOEN, K. A. (see NAESS, P. A.)
- KJÆLDGAARD, A. (see KJÆLDGAARD, M.)
- KJÆLDGAARD, M., LAGERLÖF, F., JOHANSSON, I., GAFFNEY, P. J. & KJÆLDGAARD, A. Increased release of tissue plasminogen activator and its inhibitor in human parotid saliva upon stimulation, 287
- KOKKONEN, U.-M. Postural changes in atrial natriuretic peptide (ANP) and fluid balance in conscious goats, 121
- KONNO, K. (see TAMAOKI, J.)
- KORNFIELD, M. (see GONZALEZ, E.)
- KRAUSE, U. (see KREUTZ, M.)
- KREUTZ, M., DELLHAMMER, D., MURISON, R., VETTER, H., KRAUSE, U. & LEHNERT, H. Pavlovian conditioning of corticotrophin-releasing factor-induced increase of blood pressure and corticosterone secretion in the rat, 59
- KUMAR, C. (see OKUDA, M.)
- KUO, T. S. (see YOUNG, S. T.)
- LAGERLÖF, F. (see KJÆLDGAARD, M.)
- LANDE, K. (see ÅKSNES, G.)
- LARSSON, R. (see RIDEFELT, P.)
- LASSEN, N. A. (see WANG, Q.)
- LEE, H.-C. (see OKUDA, M.)
- LEHNERT, H. (see KREUTZ, M.)
- LEOTY, C. (see BAUDET, S.)
- LUNDBERG, J. M. (see ÅHLBERG, G.)
- LUNDGREN, O. (see SJÖQVIST, A.)
- MALMBORG, A.-S. (see FUKUDA, Y.)
- MÄNTYLÄ, E. (see AHOTUPA, M.)
- MATEJKA, G. L. & JENNISCHE, E. Local infusion of IGF-I into the kidney of pituitary intact rats induce renal growth, 7
- MELLANDER, A. (see HEMLIN, M.)
- MERCER, J. B. (see BERGLAND, H.-P.)
- MIZUSAWA, H. (see OMOTE, M.)
- MOBERG, L. E. (see APPELGREN, B. H.)
- MONCADA, S. The 1991 Ulf von Euler Lecture. The L-arginine:nitric oxide pathway, 201
- MÖRNER, S. E. J. N. & WOHLFART, B. Myocardial force interval relationships: influence of external sodium and calcium, muscle length, muscle diameter and stimulation frequency, 323
- MORSING, P. (see BOBERG, U.)
- MORSING, P. (see GONZALEZ, E.)
- MURISON, R. (see KREUTZ, M.)
- NAESS, P. A., CHRISTENSEN, G., KIRKBOEN, K. A. & KIIL, F. Effect of atrial natriuretic factor on renal prostaglandin E<sub>2</sub> release in the anaesthetized dog, 369
- NELSON, L. (see SVENNERSTEN, K.)
- NIEMINEN, M. (see SOPPELA, P.)
- NISHI, A. (see CELSI, G.)
- NOBLES, M. (see DIENER, M.)

- NOIREAUD, J. (see BAUDET, S.)  
 NUSSBERGER, J. (see SCHWEILER, J. H.)
- OKUDA, M., LEE, H.-C., KUMAR, C. & CHANCE, B.  
 Comparison of the effect of a mitochondrial uncoupler 2,4-dinitrophenol and adrenaline on oxygen radical production in the isolated perfused rat liver, 159
- OLSSON, K., HOSSAINI-HILALI, J. & ERIKSSON, L.  
 Atrial natriuretic peptide attenuates pressor but enhances natriuretic responses to angiotensin in pregnant conscious goats, 385
- OMOTE, M., KAJIMOTO, N. & MIZUSAWA, H. Phenylephrine induces endothelium-independent rhythmic contraction in rabbit mesenteric arteries treated with ryanodine, 295
- PAULSON, O. B. (see WANG, Q.)  
 PELTOLA, V. (see AHOTUPA, M.)  
 PENG, Z. (see TUUKKANEN, J.)  
 PERSSON, A. E. G. (see BOBERG, U.)  
 PERSSON, A. E. G. (see GONZALEZ, E.)  
 PERSSON, E. Low birth weight is associated with elevated adult blood pressure in the chronically catheterized guinea-pig, 195
- POHLOVÁ, I. & ZICHA, J. The influence of high salt intake and/or chronic blood volume expansion on renin-angiotensin system in Brattleboro rats, 115
- PUNTALA, A. (see AHOTUPA, M.)
- RASTAD, J. (see RIDEFELT, P.)  
 RIDEFELT, P., HELLMAN, P., RASTAD, J., LARSSON, R., ÅKERSTRÖM, G. & GYLFE, E. Fluoride interactions with stimulus-secretion coupling of normal and pathological parathyroid cells, 275
- RUBENSON, A. (see BERGGREN, A.)  
 RUMMEL, W. (see DIENER, M.)  
 RUNDGREN, M. (see APPRELGREN, B. H.)  
 RUNDGREN, M. (see HJELMQVIST, H.)
- SAARELA, S. (see SOPPELA, P.)  
 SAKAI, N. (see TAMAOKI, J.)  
 SALOMONSSON, M. (see GONZALEZ, E.)  
 SAUNIER, C. (see SCHRIJEN, F.)  
 SCHMITT, C. (see DIENER, M.)  
 SCHRIJEN, F., SAUNIER, C. & HENRIQUEZ, A. Pressure/flow relation in the peripheral pulmonary vascular bed in dogs; a preliminary study, 395
- SCHWEILER, J. H., KAHAN, T., NUSSBERGER, J., JOHANSSON, M. C. & HJEMDAHL, P. Influence of angiotensin II,  $\alpha$ - and  $\beta$ -adrenoceptors on peripheral noradrenergic neurotransmission in canine gracilis muscle *in vivo*, 333
- SILLÉN, U. (see BERGGREN, A.)  
 SJÖQVIST, A., CASSUTO, J., JODAL, M. & LUNDGREN, O. Actions of serotonin antagonists on cholera-toxin induced intestinal fluid secretion, 229
- SKARPHEDINSSON, J. O. (see CARLSSON, S.)
- SOARES-DA-SILVA, P. (see FERNANDES, M. H.)  
 SOLLEVI, A. (see ÅHLBORG, G.)  
 SOPPELA, P., NIEMINEN, M. & SAARELA, S. Water intake and its thermal energy cost in reindeer fed lichen or various protein rations during winter, 65
- SPENCER, M. K. (see YAN, Z.)  
 STAHL, J. (see CELSI, G.)  
 STAHL, M. (see ANDERSSON, K.-E.)  
 STORM, J. F. (see HU, G.-Y.)  
 SVENNERSTEN, K., NELSON, L. & UVNÄS-MOBERG, K. Atropinization decreases oxytocin secretion in dairy cows, 193
- TAKIZAWA, T. (see TAMAOKI, J.)  
 TAMAOKI, J., KANEMURA, T., SAKAI, N., ISONO, K., CHİYOTANI, A., YAMAUCHI, F., TAKIZAWA, T. & KONNO, K. Prostaglandin D<sub>2</sub> increases Cl secretion across canine tracheal epithelium through cyclo-oxygenase stimulation and cAMP production, 1
- THORÉN, P. (see CARLSSON, S.)  
 TOIVONEN, H. (see AHOTUPA, M.)  
 TUUKKANEN, J., PENG, Z. & VÄÄNÄNEN, H. K. The effect of training on the recovery from immobilization-induced bone loss in rats, 407
- ULLMAN, J. (see HJELMQVIST, H.)  
 UVNÄS-MOBERG, K., ALSTER, P., HILLEGART, V. & ÅHLENIUS, S. Oxytocin reduces exploratory motor behaviour and shifts the activity towards the centre of the arena in male rats, 429
- VÄÄNÄNEN, H. K. (see TUUKKANEN, J.)  
 VALLI, P. (see ZUCCA, G.)  
 VETTER, H. (see KREUTZ, M.)  
 VORNANEN, M. Force-frequency relationship, contraction duration and recirculating fraction of calcium in post-natally developing rat heart ventricles: correlation with heart rate, 311
- WANG, Q., PAULSON, O. B. & LASSEN, N. A. Is autoregulation of cerebral blood flow in rats influenced by nitro-L-arginine, a blocker of the synthesis of nitric oxide?, 297
- WANG, W. K. (see YOUNG, S. T.)  
 WANG, Z.-M. (see CELSI, G.)  
 WEITZBERG, E. (see ÅHLBORG, G.)  
 WOHLFART, B. (see MÖRNER, S. E. J. N.)
- YAMAUCHI, F. (see TAMAOKI, J.)  
 YAN, Z., SPENCER, M. K. & KATZ, A. Effect of low glycogen on glycogen synthase in human muscle during and after exercise, 345
- YOUNG, S. T., WANG, W. K., CHANG, L. S. & KUO, T. S. The filter properties of the arterial beds of organs in rats, 401
- ZERANI, M. & GOBBETTI, A. *In vivo* and *in vitro* studies of the effects of mGnRH on oestradiol-17 $\beta$

- inter-renal production in the female frog, *Rana esculenta*, during the post-reproductive period, 377
- ZICHA, J. (see POHLOVÁ, I.)
- ZOLI, M. (see AGNATI, L. F.)
- ZUCCA, G., BOTTA, L., BARBIERI, A., GRANA, E. & VALLI, P. Effects of cromakalim (BRL34915) on resting and evoked activity in frog semicircular canals, 423

## Subject Index

- Adrenaline, 139, 159  
 $\alpha$ -adrenoceptors, 333, 369  
 $\beta$ -adrenoceptors, 333  
Afferent arteriole, 299  
Ageing, 301  
Airway, 1  
Albumin, 287  
2-amino-3-phosphonopropionate, 187  
4-aminopyridine, 77  
Amylase, 287  
Angiotensin converting enzyme inhibition, 333  
Angiotensin converting enzyme, 253  
Angiotensin I, 253  
Angiotensin II, 25, 177, 253, 299, 333, 385  
Antioxidant enzymes, 151  
Anxiolytic-like effect, 429  
Arctic, 65  
Arterial beds, 401  
Arterial blood pressure, 139, 385  
Asthma, 1  
ATP, 353  
Atrial natriuretic factor, 369  
Atrial natriuretic peptide, 121, 385  
Atropinization, 193  
Autoregulation, 297
- Behavioural observations, 429  
Bicarbonate, 239  
Biomechanical, 129  
Birth weight, 195  
Blood glucose, 169  
Blood pressure, 25, 115, 195  
Brain, 151, 301  
Brattleboro rats, 115
- Calcium, 323  
Calcium chloride pharmacology, 99  
Calcium supplements, 93  
Calciuresis, 197  
Cast, 407  
Catecholamines, 25, 177  
Cell communication, 201  
Central fatigue, 75  
Cerebral blood flow (CBF), 297  
Chemiluminescence, 159  
Chloride, 239  
Cholera, 229  
Cholera toxin, 239  
Circadian rhythm, 413  
Classical conditioning, 59  
Colon, 19  
Contraction, 49, 253  
Corticosterone, 39  
Corticotropin-releasing factor, 59  
Cortisol, 121
- Cromakalim, 423  
Coupling, 311  
Cyclase, 201  
Cyclic AMP, 1  
Cyclic AMP dependent protein kinase, 345  
Cytosolic free calcium, 299  
Cytoplasmic calcium, 275  
Cytotoxicity, 201
- Dairy cows, 193  
Dehydration, 197  
Deoxycorticosterone acetate, 115  
2-deoxy-D-glucose, 169  
Depolarization, 187  
Detrusor, 253  
2,4-dinitrophenol, 159  
Dog, 369  
Dopamine, 75
- Electrical network, 401  
Electromyography, 129  
Enteric nervous system, 19  
Excitation-contraction, 311  
Exercise, 75, 407  
Exhaustion, 75  
Extensor digitorum longus, 353  
Extracellular fluid, 115
- Fatigue, 129, 345  
Fibrinolysis, 27  
Filters, 401  
Fluid secretion, 239  
Fluorescence digital imaging microscopy, 299  
Fluoride, 275  
Force-frequency relation, 323  
Frequency spectra, 401  
Frog, 423  
Fura-2/AM, 299  
Furosemide, 239
- Gentamicin, 93  
Glibenclamide, 423  
Glucocorticoids, 85  
Glucose, 139  
Glutamate receptors, 77  
Glycerol, 139  
Glycogen synthase phosphatase, 345  
Goat 121  
Growth factors, 301  
Guanylate, 201  
Guinea-pig, 195
- Haemorrhage, 177  
Hair cells, 423  
Heart, 99

- Heart rate, 21
- Hippocampal neurones, 187
- Hippocampus, 77
- Host defence, 201
- Human, 129
- 5-Hydroxytryptamine, 229
- 5-Hydroxytryptamine receptor antagonists, 229
- Hyperoxia, 151
- Hypertension, 261, 385
- Hypertension intrauterine growth retardation, 195
- Hyperthyroidism, 275
- Hypotension, 177
- Hypothermia, 413
- Hypoxia, 395
  
- Immobilization, 407
- Insulin, 169
- Insulin-like growth factor I, 7
- Inter-renal, 377
- Intestinal fluid secretion, 229
- Ion transport, 1, 19
  
- Jejunum, 239
  
- Kidney, 85, 139, 151, 363
- Kidney growth, 7
- $K^+$ - $Ca^{2+}$ - $Mg^{2+}$ -free buffer, 353
- $K^+$ -channels, 423
- $K^+$ -free buffer, 353
  
- L-arginine, 201
- Lactate, 139
- Lipid peroxidation, 151
- Liver, 151
- Locomotor activity, 429
- Loperamide, 33
- Lucigenin, 159
- Luminol, 159
- Lung, 151
  
- Magnesiuresis, 197
- Man, 253
- Metabotropic glutamate receptor, 187
- mCPP, 75
- Mean power frequency, 129
- Mechanical restitution, 323
- Mesenteric artery, 295
- mGnRH, 377
- Milan Hypertensive Strain (MHS), 261
- Mitochondrial respiratory chain, 159
- Monoamine oxidase, 363
- Monoensin, 353
- Muscle activity, 39
- Muscle adrenaline, 139
- Muscle diameter, 323
- Muscle length, 323
- Muscle plantar flexors, 129
- Muscle stimulation, 39
- Myocardial ischaemia, 39
- Myocardium, 99
  
- Na,K-ATPase, 99
- Naloxone, 33
- Natriuresis, 121, 197, 385
- $Na^+$ , $K^+$ -ATPase, 85, 93
- $Na^+$ / $K^+$ -ATPase, 39
- Na-K pump, 99
- Nephrotoxicity, 93
- Nerves, 239
- Neuropophysial peptides, 267
- Neurotoxic factors, 301
- Nitric oxide, 201
- Nitric oxide (NO), 297
- Nitro-L-arginine (NOLAG), 297
- Noradrenaline, 139, 299
- [ $^3H$ ]noradrenaline release, 77
- NPPB, 239
- NPY, 139
  
- Oestradiol-17 $\beta$ , 377
- Opioid receptor, 33
- Osteoporosis, 407
- [ $^3H$ ]ouabain binding, 39, 353
- Ouabain-suppressible  $^{86}Rb^+$  uptake, 353
- Oxytocin, 193, 429
- Oxytocin antagonist, 429
  
- Parathyroid cells, 275
- Parathyroid hormone release, 275
- Parotid gland, 287
- Phenylephrine, 295, 369
- Photoperiod, 413
- Pig, 39, 99
- Pituitary, 377
- Plasma renin activity, 115
- Plasminogen activator inhibitor, 287
- Plasticity, 301
- Post-ganglionic adrenal sympathetic nerve activity, 169
- Post-natal development, 311
- Post-reproduction, 377
- Potassium, 39
- Potassium homeostasis, 99
- Preconditioning, 39
- Pregnancy, 385
- Pressure flow relation, 395
- Pressure waves, 201
- Pre-ganglionic adrenal sympathetic nerve activity, 169
- Prostaglandin, 1
- Prostaglandin D $_2$ , 19
- Prostaglandin E $_2$ , 369
- Prostaglandin, I $_2$ , 19
- Proximal tubule, 93
- Pulmonary circulation, 395

- Rabbit, 295, 413  
*Rana esculenta*, 377  
Rat, 151, 169  
Reactive oxygen species, 159  
Recirculation factor, 311  
Recirculation fraction, 323  
Recovery from exercise, 345  
Refractoriness, 377  
Rehydration, 197  
Reindeer, 65  
Remobilization, 407  
Renal effects, 267  
Renal electrolyte excretion, 25  
Renal function, 93  
Renal sympathetic nerve activity, 169  
Renal renin concentration, 115  
Renin, 369  
Ryanodine, 295  
Rhythmic contraction, 295
- Saliva, 287  
Salivary proteins, 287  
Salt intake, 115  
Sarcoplasmic reticulum, 295  
Secretion, 1  
Secretory rate, 287  
Semicircular canals, 423  
Serotonin, 75  
Sheep, 25, 177  
Shivering, 413  
Short circuit current, 239  
Skeletal muscle, 49  
Slow after-hyperpolarization, 187
- Smooth muscle, 253  
Sodium, 177, 323  
Sodium pump, 99  
Soleus, 353  
Spike repolarization, 187  
Splanchnic and renal blood flows, 139  
Stunning, 39  
Superoxide, 159  
Sympathetic neurotransmission, 333
- Temperature regulation, 413  
Thermal energetics, 65  
Thermosensitivity, 413  
Thyroid hormone, 93  
Tilting, 121  
Tissue-type plasminogen activator, 287  
Total plasma proteins, 121  
Training, 121  
Tritiated water, 65  
Tubuloglomerular feedback (TGF), 261
- Uncoupling, 159  
Urinary bladder, 33
- Valinomycin electrodes, 39  
Vasodilation, 201  
Vasopressin, 25, 115, 177  
Veratridine, 353  
Volume depletion, 261  
Volume expansion, 261
- Water metabolism, 65